## WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 4:

B66D 3/20

(11) International Publication Number: WO 86/07042

(43) International Publication Date: 4 December 1986 (04.12.86)

(21) International Application Number: PCT/SE86/00247

(22) International Filing Date: 30 May 1986 (30.05.86)

(31) Priority Application Number: 8502716-7

(32) Priority Date: 31 May 1985 (31.05.85)

(33) Priority Country:

(71) Applicant (for all designated States except US): KAHL-MAN INNOVATION AB [SE/SE]; Storgatan 21, S-666 00 Bengtsfors (SE).

(72) Inventors; and


(75) Inventors/Applicants (for US only): KAHLMAN, Sture [SE/SE]; Strandvägen 22, S-666 00 Bengtsfors (SE). OLSSON, Johan [SE/SE]; Strömgatan 13, S-666 00 Bengtsfors (SE).

(74) Agent: LINDBERG, Bo; Cederbom & Lindberg AB, Box 53252, S-400 16 Göteborg (SE).

(81) Designated States: AT, AT (European patent), AU, BB, BE (European patent), BG, BR, CH, CH (European patent), DE, DE (European patent), DK, FI, FR (European patent), GB, GB (European patent), HU, IT (European patent), JP, KP, KR, LK, LU, LU (European patent), MC, MG, MW, NL, NL (European patent), NO, RO, SD, SE (European patent), SU, US.

## Published

With international search report. With amended claims. In English translation (filed in Swedish).



Arrangement for a goods hoist (1) which comprises an operating control (3) capable of being actuated by a driving device (2) and situated between a load device (6) and driving devices (2). The arrangement is, amongst other things, simple and functions efficiently without the need for great muscle power on the part of the user. The driving device (2) is so arranged as to be controlled by electronics or by some other means which are capable of being connected to a transmitter (12, 13) contained in said operating control (3) capable of manual actuation.